COVS Clinical Opiate Withdrawal Scale

Name:

Date:	Interval		0	30 minutes	2 hours	4 hours
	Time					
			Score	Score	Score	Score
Resting heart rate (measure after lying or sitting for 1 minute):[0]HR 80 or below[1]HR 81-100[2]HR 101-120[4]HR greater than 120						
Sweating (preceding 30 minutes and not related to room temp /activity): [0] No report of chills or flushing [1] Subjective report of chills or flushing [2] Flushed or observable moistness on face [3] Beads of sweat on brow or face [4] Sweat streaming off face						
Restlessness (observe during assessment):[0] Able to sit still[1] Reports difficulty sitting still, but is able to do so[3] Frequent shifting or extraneous movements of legs/arms[5] Unable to sit still for more than a few seconds						
Pupil size: [0] Pupils pinned or normal size for room light [1] Pupils possibly larger than normal for room light [2] Pupils moderately dilated [5] Pupils so dilated that only the rim of the iris is visible						
Bone or joint aches (not including existing joint pains): [0] Not present [1] Mild diffuse discomfort [2] Patient reports severe diffuse aching of joints/ muscles [4] Patient is rubbing joints / muscles plus unable to sit still due to discomplete the set of the	nfort					
Runny nose or tearing (not related to URTI or allergies):[0] Not present[1] Nasal stuffiness or unusually moist eyes[2] Nose running or tearing[4] Nose constantly running or tears streaming down cheeks						
GI upset (over last 30 minutes): [0] No GI symptoms [1] Stomach cramps [2] Nausea or loose stool [3] Vomiting or diarrhoea [5] Multiple episodes of vomiting or diarrhoea						
Tremor (observe outstretched hands): [0] No tremor [1] Tremor can be felt, but not observed [2] Slight tremor observable [4] Gross tremor or muscle twitching						
Yawning (observe during assessment): [0] No yawning [1] Yawning once or twice during assessment [2] Yawning three or more times during assessment [4] Yawning several times/minute						
 Anxiety or irritability [0] None [1] Patient reports increasing irritability or anxiousness [2] Patient obviously irritable or anxious [4] Patient so irritable or anxious that participation in the assessment is d 	ifficult					
Gooseflesh skin [0] Skin is smooth [3] Piloerection (goosebumps) of skin can be felt or hairs standing up on a [5] Prominent piloerection	arms					
Score interpretation: 5-12 = Mild 13-24 = Moderate	г	otal				
25-36 = Moderately severe > 36 = Severe withdrawal		nitials				

Source: Wesson DR, Ling W. The Clinical Opiate Withdrawal Scale (COWS). Journal of Psychoactive Drugs. 2003;35(2):253-9. doi: 10.1080/02791072.2003.10400007

